

SITE INVESTGATION

RECOMMENDATION.

GWL=M1.5 M B.C At 2.0 M 2.5 M

<u>1.5 M</u> 3 KG/cm

عمق الحفر لايقل عن п.50м من الرصيف

- 1-PLAIN CONCRETE MIX 1:3:6,
- 2-REINT CONCRETE SEE SPECIFICATION,
- 3-ALL SLAB ARE (15CM THIC) UNLESS OTHER WISE INDICTED,
- 4-SLAB UNDER WATER TANKS (20CM THICK) WITH 8014 BOTH WAYS,
- 5-STIRRUP FOR COLUMNS ARE Ø8/15CM C/C,
- 6-REFER STRUCTURAL DRGS WITHARCHITECTURAL DRGS,

7-ALL STEEL (FC = 4200)

8-CONCRETE STRENGTH FC = 300 Kg/Cm2

TP <u>Kg/Cm2</u>

9-FOR COLUMNS Kg/Cm FOR BEAMS 300 Kg/Cm2





حمود ناصر حمود العجمي

Eng: ALI ALGAAFRY

PLOT NO: 370 BLOCK: 6

SCH- 12-

SCHEDULE OF FOOTINGS AND COLUMNS

~ ~ = = = =	 T C C TT T	_
COULTIN	' FOOTING	ر ۲
- 71 H E I 71		·T
	1001111	_

TYPE OF	FOO'	TING S	IZE	REI	REMARKS		
FOOT	L	w	Н	SHORT BARS	LONG BARS	BOXED	IVEMAIVES
F1	100	100	35	7 Ø 12	7 Ø 12		
F2	155	125	40	10 Ø 12	9 Ø 12		
F3	180	140	40	12Ø 12	10 Ø 12		
F4	205	155	45	14 Ø 12	12 Ø 12		
F5	215	155	45	15 Ø 12	12 Ø 12		
F6	235	175	50	18 Ø 12	14 Ø 12		
F7	275	195	55	24 Ø 12	17 Ø 12		
F8	295	205	60	25 Ø 12	18 Ø 12		
F9	275	245	60	29 Ø 12	26 Ø 12		
FN	80	80	30	4 Ø 12	4 Ø 12		

عمق الحفر لايقل عن п.50м من الرصيف FOUNDATION LEVEL =(1.50) M FROM STREET

			SC	CHE	EDU	JLE OF	CC	LU	MNS						
TYPE OF	FOUNDATION & BASE. سرداب + قواعد			GROUND FLOOR ارضی			FIRST FLOOR		SECOND FLOOR التانی			ROOF			
COLS							اول								
DIM	W	L	REIN.	W	L	REIN.	W	L	REIN.	W	L	REIN.	W	L	REIN.
C1	30	50	8 Ø 14	20	50	8 Ø 14	20	50	8 Ø 14	20	50	8 Ø 14			
C2	30	60	10 Ø 14	20	60	10 Ø 14	20	50	8 Ø 14	20	40	6 Ø 14			
C3	30	70	12 Ø 14	20	70	12 Ø 14	20	60	10 Ø 14	20	50	8 Ø 14			
C4	30	80	14 Ø 14	20	80	14 Ø 14	20	60	10 Ø 14	20	50	8 Ø 14			
C5	30	90	16 Ø 14	20	90	16 Ø 14	20	70	12 Ø 14	20	50	8 Ø 14			
C6	30	90	18 Ø 14	20	90	18 Ø 14	20	70	12 Ø 14	20	50	8 Ø 14			
C7	30	110	20 Ø 14	20	110	20 Ø 14	20	90	16 Ø 14	20	70	12 Ø 14			
C8	30	120	20 Ø 16	20	120	20 Ø 16	20	100	20 Ø 14	20	80	14 Ø 14			
С9	50	80	24 Ø 14	40	70	24 Ø 14	20	100	20 Ø 14	20	80	14 Ø 14			
CN	30	30	6 Ø 12												

ASCO S CONSULTING OFFICE





حمود ناصر حمود العجمي

Eng: ALI ALGAAFRY

PLOT NO : 370

BLOCK: 6

Sheet No SCH- 13 -

ASCO CONSULTING OFFICE

ASCO CONSULTING OFFICE

SCHEDULE OF SIMPLE BEAMS

SCHEDULE OF SIMPLE BEAMS										
TYPE OF	F		BOTTOM BARS	MIDD.	TOP BARS	STIRRUPS	REMARKS			
BEAM D.1	В 20	Н 25	2 (2.12)		2 0 12	/				
B1	20	35	3 Ø 12	-	2 Ø 12	7 Ø 8/m				
B2	20	45	3 Ø 16	-	2 Ø 12	7 Ø 8/m				
В3	20	75	3 Ø 16	2 Ø 12/30	2 Ø 12	7 Ø 8/m				
B4	20	75	4 Ø 16	2 Ø 12/30	2 Ø 12	7 Ø 8/m				
B5	20	75	5 Ø 16	2 Ø 12/30	2 Ø 14	7 Ø 8/m				
B6	20	75	5 Ø 18	2 Ø 12/30	2 Ø 14	7 Ø 8/m				
В7	20	45	4 Ø 16	2 Ø 12/30	3 Ø 12	7 Ø 8/m				
В8	30	45	4 Ø 16	2 Ø 12/30	3 Ø 12	7 Ø 8/m				
В9	30	45	5 Ø 16	2 Ø 12/30	3 Ø 12	7 Ø 8/m				
B10	30	75	6 Ø 18	2 Ø 12/30	3 Ø 14	7 Ø 8/m				
B11	30	75	7 Ø 18	2 Ø 12/30	3 Ø 14	7 Ø 8/m				
B12	30	75	8 Ø 18	2 Ø 12/30	3 Ø 14	8 Ø 8/m				
B13	40	75	11 Ø 18	2 Ø 12/30	4 Ø 14	2 Ø 8/10CM	K-300			



client : حمود ناصر حمود العجمي


Eng: ALI ALGAAFRY


Sheet No SCH-14 -


PLOT NO : 370


BLOCK: 6


الوفرة




































حمود ناصر حمود العجمى

Eng: ALI ALGAAFRY

PLOT NO : 370

вьоск: 6

الوفرة

Sheet No SCH- **23** -